



MOBILE SHOWER COMMODE RANGE

aspire for...

Comfort
Support
Protection





460MM SHOWER COMMODES



Weight Bearing Platform



Easy-slide weight bearing platform footrest slides completely away for transfers





Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x **TENTE** total locking castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers





- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations





See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height		Anterior Seat Height	Posterior Seat Height
BTC066000	WB Platform - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066200	WB Platform - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm
BTC065900	Swing Away Footrest - 460mm - Att Propelled - S/Steel	895 - 995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066100	Swing Away Footrest - 460mm - Self Propelled - S/Steel	895 - 995mm	665mm	460mm	305mm	225mm	590mm	560mm

530MM SHOWER COMMODES



Weight Bearing Platform Commode is registered in the ARTG, AUST R ARTG 286695

Easy-slide weight bearing platform footrest slides completely away for transfers





Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when



Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x **TENTE** total locking castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers





- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations





See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066050	WB Platform - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066055	WB Platform - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm
BTC066060	Swing Away - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066065	Swing Away - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm

600MM SHOWER COMMODES



TILT & RECLINE SHOWER COMMODES

aspire

Weight Bearing Platform





platform footrest slides

Integrated Features

- Heavy duty reinforced wide frame can support bariatric users up to
- 4x total locking stainless steel castors provide brake access from
- Height adjustable reinforced armrests offer drop flat positioning to assist with lateral slide transfers





See page 8 for seat options (sold separately)

completely away for transfers

Swing Away Footrests



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Angle adjustable backrest from 8° to 18° for improved seating comfort



Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm



- 8° backrest angle ensures patient comfort
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- 4x **TENTE** total locking castors provide brake access from all angles
- Self Propelled Model Available





See page 8 for seat options (sold separately)

Code	Description	Overall Height		Seat Width	Backrest Height			Posterior Seat Height
BTC061400	WB Platform - 600mm - Att Propelled - S/Steel	995mm	725mm	600mm	300mm	290mm	590mm	560mm
BTC061300	Swing Away - 600mm - Att Propelled - S/Steel	995mm	675mm	600mm	305mm	225mm	590mm	560mm
BTC061305	Swing Away - 600mm - Self Propelled - S/Steel	995mm	805mm	600mm	305mm	225mm	590mm	560mm

Height adjustable, swing away footrests for

optimal positioning and ease of transfers

Swing Away Footrests with Calf Pad



Height adjustable, swing away footrests with calf pads for optimal positioning, support and ease of transfers adjustment to 4 settings allow the commode to be easily adapted to varying needs

Integrated Features

• 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort



• -5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process



- 4x **TENTE** total locking castors provide brake access from all angles
- Open back straps provide greater access for bathing needs
- Backrest may be configured as full length or 3/4 length to accommodate an advanced headrest







See page 8 for seat options (sold separately)

Со	de	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
ВТ	C066030	Swing Away - 460mm - Tilt & Recline	1315 - 1485mm	560mm	460mm	900mm	275mm	460 - 630mm	460 - 620mm
ВТ	C066040	Swing Away - 530mm - Tilt & Recline	1315 - 1485mm	630mm	530mm	900mm	275mm	460 - 630mm	460 - 620mm



ALUMINIUM SHOWER COMMODES

aspire

Swing Away Footrests





Integrated Features

• Super Heavy Duty Bariatric design with 790mm seat and 350kg SWL



- Anti-bacterial frame coating for improved infection control
- Removable arms to assist with positioning and allow lateral slide transfers
- Height adjustable, swing away footrests for optimal positioning and ease of transfers







Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061200	Bariatric Shower Commode	990mm	900mm	790mm	430mm	170mm	570mm	570mm

Attendant Propelled



Self **Propelled**

24 inch lightweight self propelling wheels with hand brakes and anti-tippers



Integrated Features

- Ideal for in home and community use
- Lightweight Aluminium design
- Easy clean, padded seat, back and arms



• Tool free height adjustment allows the commode to be easily adapted to varying needs



- Swing back comfort arms assist
- Bowl and carrier for improved infection control





Code	Description						Anterior Seat Height	Posterior Seat Height
BTC068010	Aluminium Commode - Attendant Propelled	990 - 1040mm	460mm	440mm	495mm	220mm	525 - 580mm	525 - 580mm
BTC068020	Aluminium Commode - Self Propelled	970 - 995mm	610mm	440mm	490mm	235mm	525 - 570mm	525 - 580mm

Warranty





AS / NZS Approved





carer access to a brake at all angles around the







Padded Commode Seats

- Moulded and seamless soft PU seats designed for comfort and durability
- Easy clean, fully sealed surface for infection control
- Choose the size appropriately to fit your Aspire Shower Commode

✓ DVA Contracted

Adaptable to most shower commode brands

M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost (GSP342405)



aspire

Code	Description	Width
BTC066600	Open Seat	460mm
BTC066700	Closed Seat	460mm
BTC066750	Open Seat	530mm
BTC066800	Open Seat	600mm

Hand Made Pressure Reducing Commode Seats



- pressure injury prevention
 European Dartex anti-microbial four-way stretch fabric is waterproof and breathable
- Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution
- Sealed seams for infection control management
- Adaptable seat attachment to suit all shower commode brands
- Max seat height: 65mm
- Fully customisable options to suit specific needs (see script form at www.aidacare.com.au or attached or on pages 10 and 11)



CHICTO	MICATIO	NI ANZA	
CUSTO	MISATIO	IN AVA	ILABLE

Code	Description	Width
BTC089122	Pressure Reducing - Open Front	320mm
BTC089124	Pressure Reducing - Closed Front	320mm
BTC089126	Pressure Reducing - Open Front	400mm
BTC089128	Pressure Reducing - Closed Front	400mm
BTC089130	Pressure Reducing - Open Front	460mm
BTC089140	Pressure Reducing - Closed Front	460mm
BTC089150	Pressure Reducing - Open Left	460mm
BTC089160	Pressure Reducing - Open Right	460mm
BTC089170	Pressure Reducing - Open Front	500mm
BTC089180	Pressure Reducing - Closed Front	500mm
BTC089190	Pressure Reducing - Open Front	550mm
BTC089200	Pressure Reducing - Closed Front	550mm
BTC089210	Pressure Reducing - Open Front	600mm
BTC089220	Pressure Reducing - Closed Front	600mm
BTC089230	Pressure Reducing - Open Front	650mm
BTC089240	Pressure Reducing - Closed Front	650mm

Code	Description
BTC089250	Pressure Reducing - Customised (See Script Form)



ROHO® Padded Seats

- High level pressure relief for high needs users
- Interconnected air cells help disperse pressure
- Includes cover
- Fully washable

Code	Description
BTC067500	Closed Seat - 380mm x 425mm
BTC067900	Closed Seat - 425mm x 425mm
BTC067600	Closed Seat - 425mm x 470mm
BTC067300	Closed Seat - 470mm x 470mm



Self Propelling Conversion Kit



- Converts Attendant Propelled Shower Commodes into Self Propelling version not compatible with Bariatric (BTC061200, BTC061400), Tilt & Recline (BTC066030, BTC066040) or Aluminium Shower Commodes (BTC068010, BTC068020).
- Self propelling kit includes:
- 22" Pneumatic wheels with black spokes and push rims;
- Quick release axles and mounting hardware;
- Anti-tippers with roller wheels; and
- Clamp-on hand brakes

Code	Description
BTC082900	Self Propelling Conversion Kit

COLUUCKILU



All Aspire Shower Commode Accessories are DVA Contracte

Commode Bowl & Pan Carrier



- Stainless steel carrier slides easily into mobile shower commode frame under seat
- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

Code	Description
BTC066400	Pan Carrier - 460mm - 600mm



Commode Bowl & Bed Pan

- Assists in the collection of waste
- Bowl with lid & handle for discreet disposal
- Bowl washable to 95°
- Bed pan autoclavable



Code	Description
BTC081610	Commode bowl w/lid & handle
BTT151800	Bed Pan

Elevating Legrests

- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

	Code	Description
	BTC067108M	Left (swing away commode models only)
	BTC067109M	Right (swing away commode models only)
	BTC067110M	Left (tilt and recline commode models only)
	BTC067115M	Right (tilt and recline commode models only)

Stump Support

- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except BTC061200, BTC068010 & BTC068020)
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067105	Stump Support



Advanced Headrest

- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable to other brands

Code	Description
BTC067050	Advanced Headrest



Lateral Supports

- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable clamp also fits other shower commode brands

Code	Description	
WCA867010	Lateral Supports	

m-	
-	1 1
THE R	1 1
11	1
- 11	- 1
	>
	\rightarrow

Oxygen Bottle Carrier

- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode hrands

branus	
Code	Description
BTC067200	Oxygen Bottle Carrier



Adjustable Pelvic Belt

- Adjustable belt to assist with pelvic and lower thoracic positioning and safety
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

Code	Description
BTC067100	Adjustable Pelvic Belt



Adjustable IV Pole

- Clamp-on stainless steel pole to organise intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

Code	Description	
BTC067103	Adjustable IV Pole	

Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:



1300 133 120



www.aidacare.com.au







Custom Made Shower Commode Seats - Script Form

Client	Date	e:	
Name:		il:	
Phone:	Fax:		
Address:			
Therapist			
Name:	Ema	il.	
Phone:	Fax:		
Aidacare Representative	rax.		
Name:	Ema		
Please complete all relevant de	tails below in 10 to 10 and send	completed script form to commodese	ats@aidacare.com.au
1 Please choose one:	Order - Please provide order #:	or	Quote Request
2 Which brand of shower co	ommode will the seat be attached t	o? (Required for attachment type):	
3 Choose your Fabric			
PU Coated 4 way Stretch (Standard seat thickness 30mm memory foam top	70mm with	Medical Grade White Vinyl (Standard seat thickness 50mm)	5
4 Choose your Seat Configu	iration (MUST CHOOSE ONE)	5 Optional Seat Config (CHOOSE ONE, BOTH OR N	
Closed Front Open	Front Open Right Op	Right Bite (Not with Open Right)	Left Bite (Not with Open Left)
6 Specify Relevant Seat Din	nensions	. 0	
MEASURE DIMENSIONS	(MM) MEASURE D	IMENSIONS (MM)	A
1 Seat Width	8 Left Bite Depth (from side)		
2 Seat Depth 3 Hole Length	9 Left Bite Opening 10 Right Bite from Rear	00	Front of Commode
4 Hole Width	11 Right Bite Depth (from side)	* some	Commode Seat
5 Hole From Rear	12 Right Bite Opening		
6 Hole Opening7 Left Bite from Rear	Seat Thickness (Std for PU is 70mm / Vinyl is 50mm)	0	0
7 Left Bite Hom Hear	,,	***	,,
Additional Information - N	Notes:	0	
Additional information - I	votes.		
Office Head Only			
Office Use Only: Received bv:	Che	cked by:	
		npleted date:	
		•	
Serial number for one seat =	Order number (e.g. ORD00400500))	

ASPIRE SHOWER COMMODES Accessories Fit Commode Code(s) ACCESSORIES MATRIX **Padded Seats** BTC066600 460mm Open BE04 BTC066700 460mm Closed BE04 BTC066750 530mm Open BE04 BTC066800 600mm Open BE04 Hand Made Pressure Seat - Customisation Available BTC089130 460mm Open Front BE04 BE04 BTC089140 460mm Closed Front BE04 BTC089150 460mm Open Left BTC089160 460mm Open Right BE04 BTC089170 500mm Open Front BE04 BTC089180 BE04 500mm Closed Front BE04 BTC089190 550mm Open Front BE04 BTC089200 550mm Closed Front BTC089210 600mm Open Front BE04 BTC089220 600mm Closed Front BE04 BTC089230 650mm Open Front BE04 BTC089240 650mm Closed Front BE04 **ROHO Padded Seat - Additional Accessory for Seats** BE04 BTC067500 425mm Closed BTC067900 425mm Closed BTC067600 470mm Closed BE04 BTC067300 470mm Closed BE04 Other Accessories BTC082900 BE04 Self Propelling Kit BE04 BTC066400 Pan Carrier BTC081610 Commode Bowl BE04 BTT151800 Bed Pan BE04 BTC067108M Elevating Leg Rest - L BE04 BTC067109M Elevating Leg Rest - R BE04 BTC067110M Elevating Leg Rest - L BE04 BTC067115M Elevating Leg Rest - R BE04 BTC067105 Stump Support BE04 BTC067050 Advanced Head Rest BE04 WCA867010 Lateral Support BE04 BTC067200 Oxygen Bottle Carrier BE04 Adjustable Pelvic Strap BE04 BTC067103 Adjustable IV Pole

aspire Associated Products































