SmartDrive with PushTracker E2

SmartDrive June

Ti

Seamless power assist experience



5.7kg — Lightest rear power assist in the world

Ergonomic design quickly attaches to a

wide variety of manual wheelchairs

£,

----0

A.

OmniWheel design allows SmartDrive to start from any position maintaining optimal traction and maneuverability

smartDrive see **On-demand** power assist

Pushing a manual wheelchair can put stress on shoulders and lead to serious issues in the future. SmartDrive offers a range of controls and activity-tracking technology to deliver a seamless power assist experience that may reduce repetitive stress.

Perinobi

Paired with the PushTracker E2 and SwitchControl, SmartDrive offers added flexibility, convenience and control options to empower your active lifestyle.

There were so many times I said no to something because I didn't feel like I could. With the SmartDrive I can go all around the farmers market, go shopping, meet a friend for coffee, walk the dog and still do a ton of other things when I get home.

> — Julie M. Permobil User

Choose to do more

SmartDrive empowers your active lifestyle with a simple tap or touch of a button. It conserves the energy that you would normally have to use just to get around, and helps you to save it for activities that enhance your day.



Touch screen technology makes the PushTracker E2 more accessible than ever


8x more reliable Bluetooth[®] connection

Quickly change all performance settings



PushTracker E2

Developed with connectivity in mind, the PushTracker E2 has been rigorously tested and proven to be consistently reliable and extremely durable. The PushTracker E2 makes using your SmartDrive easier than ever. With gesture-activated controls and activity-tracking technology you can start your SmartDrive with a simple tap of your hand—no pushing or reaching necessary.



Easily change speed settings

Review system usage

	G
Journey	
Today	📀 6.2 s 📀 0.00 mi
Morning roll	
3 11:00 AM - 12:00 PM 0.7 s • 195 pushes • 0.00 mi Wed, Oct 2	ð
Evening drive	
 5:00 PM - 5:30 PM 0.0 s 0 pushes 0.54 mi Tue, Oct 1 	Ø
Afternoon drive	
 # 4:30 PM - 5:00 PM 0.0 s 0 pushes 0.78 mi Tue, Oct 1 	Ø
Night roll	
 3.0 PM - 10:30 PM 3.0 s ・ 388 pushes ・ 0.00 mi Mon, Sep 30 	ð
Evening roll	
Journey Home	Profile

PushTracker App

SmartDrive advances daily mobility for the manual wheelchair user. The PushTracker app produces and delivers activity statistics designed to promote optimal mobility health. Track distance, pushes and coast time in order to increase coast time and decrease pushes. The app can also be used to easily update and control SmartDrive settings.





SwitchControl

SwitchControl gives users another programmable option for controlling their SmartDrive. With the push of a button SmartDrive can be engaged for a momentary burst of power or activated in latched mode for consistent power over extended distances. This empowers a more diverse group of people to experience SmartDrive with increased confidence and, when paired with the PushTracker E2, offers added flexibility, convenience and control options.



SmartDrive MX2+ Powers you up hills and ramps, over thick carpet, and long distances.

Power your push, your way

SmartDrive gives manual wheelchair users more control over their experience than ever before. Discover how our variety of hardware and software solutions can be combined to better support your individualised mobility goals.

	Stamina	Performance	Expert
Products available	20	0	🧭 🕴 🗖
Best for	Caregiver, paediatric & geriatric users	Paediatric/active users (smaller, simpler wearable)	Adult/active users (advanced wearable features)
On-demand power assist	0	0	0
Energy/shoulder preservation	0	ο	ο
Easy on/off buttons	0	ο	ο
Hand gesture activation		ο	0
Advanced Bluetooth connection			Ο
Easy to read, touch screen settings control			0
Performance & maintenance notifications			0
	PushTracker 🕴	PushTracker E2 🛛 🧭 Smar	tDrive 🕒 SwitchControl



SmartDrive Specifications

Dimensions	Length: 15.3" (389 mm) Width: 5.7" (141 mm) Height: 9.5" (242 mm)
Product weight	5.7 kg (12.5 lb) Drive Unit
User weight	14 to 150 kg (30 to 331 lb)
Driving range [*]	Up to 19.8 km (12.3 mi)
Motor power	250 W Brushless DC
Maximum speed	8.8 km/h (5.5 mph)
Operating temp	-25°C to 50°C (-13°F to 122°F)
Chair type compatibility	Rigid, Folding, Tilt-In Space, One-Arm Drive and others
Drive wheel diameter	22", 24", 25", 26" (501, 540, 559, 590 mm)
Warranty	2-Year Limited Warranty
Bluetooth LE	FCC ID QOQBT113 IC ID 5123A-BGTBLE113

*Performance measurements will vary based on user and chair characteristics, driving and battery conditions.

The SmartDrive has been tested and conforms to all applicable requirements of ANSI/RESNA Standards for Wheelchairs - Volume 1 and Volume 2 and EN 12184.

NOTE: A wheelchair's specifications provided by its manufacturer may be slightly affected by the addition of the SmartDrive.

Please refer to your owner's manual for more detailed operation and care instructions.

PushTracker E2 Specifications

Dimensions	1.85" x 2.06" x 0.5" (46.9 x 52.2 x 12.9 mm)
Operating system	Wear OS by Google™
Nominal operating voltage	3.9 V
Electric charge	415 mA-h
Wireless operating band	Bluetooth / BLE 2.4 GHz (2.402 to 2.480 GHz)
	Wi-Fi 802.11 b/g/n 2.4 GHz (2.412 to 2.472 GHz)
	GPS / GLONASS / Beidou 1575 MHz (1.559 to 1.610 GHz)
Bluetooth LE	FCC ID 2AP42-WG12026 IC ID 24006-WG12026
Water resistance	5 ATM (Swim-ready, up to 50 m)
Band width	0.87" (22 mm)
Band material	Silicone (interchangeable), Latex-Free and completely Biocompatible
Case material	Polycarbonate
Display	AMOLED (400 x 400 pixel)

*All figures shown are for illustration purposes only and actual products may vary. Wear OS by Google, iPhone, Android, Bluetooth and Google Play are trademarks or registered trademarks of their respective owners.

©2021 Permobil. Permobil has a policy of continual product improvement and reserves the right to amend this document.

permobil Australia | 1300 845 483 | orders.au@permobil.com | www.permobil.com/en-au SDMX2 MK-007 Rev. D