









Q400 R

Q400 M

Q400 F



THE POWER OF QUICKIE

From basic mobility to complex rehab. A wide range of bases, drive wheel positions, seating systems, electronics, controls and accessories, that can be combined to create the perfect powerchair for each individual need.







Q400 SEDEO LITE

BASES MWD FWD RWD



Q500

SEDEO PRO SEDEO LITE

MWD FWD RWD



0700

SEDEO ERGO SEDEO PRO

MWD FWD RWD



Q700-UP

SEDEO ERGO UP

BASE PERFORMANCE

0400 SERIES OVERVIEW



With a choice of three drive bases, matched with the multi-adjustable SEDEO® LITE seating (both including JAY and WHITMYER), you can tailor your Q400 to your individual needs.

Q400 WITH SEDEO LITE








ADVANCED OUTDOOR AND INDOOR PERFORMANCE

The new QUICKIE Q400® offers great outdoor performance with good indoor manoeuvrability and a head turning style. All these combined with the multi- adjustable SEDEO LITE Seating to cover a wide variety of clinical needs.



PERFORMANCE BASES

Q400 M: Mid-Wheel Drive Q400 R: Rear-Wheel Drive Q400 F: Front-Wheel Drive

SEATING SYSTEMS

SEDEO LITE

JAY & WHITMYER

CONTROLS & CONNECTIVITY

VR2 Control

DISTINGUISHED STYLE

STYLISH DESIGN and choice of colours

CHOOSE YOUR BASE

FRONT-, REAR- OR MID-WHEEL DRIVE

All the Q400 bases offer great outdoor performance combining reliable 4-pole motors and elastomer drive wheel suspension for a comfortable drive. With a speed of up to 10 kph and batteries up to 72 Ah to improve your outdoor experience.

	Q400 R	Q400 M	Q400 F		
Driving type	Rear-wheel drive	Mid-wheel drive	Front-wheel drive		
Turning radius	950 mm	560-630 mm	735 mm		
Drive wheels	13"- 14"	13"	13"- 14"		
Castor wheels	9"	7"	9"		
Max Speed	10 kph	10 kph	10 kph		
Battery size	60 Ah, 72 Ah	60 Ah, 72 Ah	60 Ah, 72 Ah		
Max. Reversing width	1258 mm	1100 mm	1240 mm		
Max. Safe slope	10°	8°	8°		
Max. Kerb climbing	100 mm with KC 80 mm without	100 mm	70 mm		
Colour inlay choices	3 colours	3 colours	3 colours		
Max. range (iso 7176-4)	40 km	40 km	40 km		
Lower seat to floor height	415 mm with Tilt (with 60 Ah batteries)				

Q400 R

REAR-WHEEL DRIVE

The rear-wheel drive is a stable base with good kerb climbing ability. Easy to drive, provides great driving control.



The choice of a drive base affects how the chair performs in different situations and environments. QUICKIE Q400 offers a complete range of bases so each user can select the best option based on personal preferences, experience, clinical, lifestyle and environmental needs.

Q400 M

MID-WHEEL DRIVE

Mid-wheel drive offer unmatched manoeuvrability, with a smaller foot print than rear or front, it offers the most compact turning circle and is extremely intuitive to drive and control.



Q400 F

FRONT-WHEEL DRIVE

The front-wheel drive base offers great outdoor performance with good indoors manoeuvrability, and best stability on steep declines. Could require more experience to drive.



Q400 MMID-WHEEL DRIVE BASE

The QUICKIE Q400 M base effortlessly balances great outdoor manoeuvrability with very good indoor performance. Its motors combined with 6 wheels suspension and QUICKIE's anti-pitch technology, and a compact turning radius, will ensure you have a great driving experience.

SUPERB INDOOR MANOEUVRABILITY

Great access through narrow doors, in lifts and around confined spaces, with the compact turning radius and base dimensions. Easily transfer in and out, effortlessly access vehicles and under tables with the lower than ever before seat to floor height from 41.5 cm with powered COG Tilt.



GREAT OUTDOOR PERFORMANCE



ALL-WHEEL SUSPENSION

Enjoy a smooth and stable ride, even over rough terrain, with QUICKIE's patented all-wheel suspension - six independently suspended wheels absorb all those bumps. Climb kerbs of up to 100 mm and have the best traction even when ascending gradients of up to 8 degrees.



ANTI-PITCH TECHNOLOGY

QUICKIE's anti-pitch technology eliminates pitching on slopes, and with all your weight located directly above the drive wheel to maximise traction and drive performance.



ENJOY YOUR TIME OUTSIDE

With reliable 4-pole motors powering speed of 10 kph and a choice of 60 or 72 Ah batteries to maximise your range, you can always enjoy your time outside with the 0400 M.

Q400 FFRONT-WHEEL DRIVE BASE

Q400 F offers a lower seat to floor height of 415 mm to provide good access to wheelchair adapted vehicles, tables, and transfers.

GOOD INDOOR MANOEUVRABILITY

Q400 F, with in-rigged castor arms design, is responsive and offers good manoeuverability for indoor use.



GREAT OUTDOOR PERFORMANCE





The Q400 F offers a robust design combined with drive wheel suspension and reliable motors to ensure a comfortable ride in any terrain.

DRIVE WHEEL SUSPENSION

With the elastomer suspension the Q400 F provides a comfortable ride.

ENJOY YOUR TIME OUTSIDE

With reliable 4-pole motors powering speed of 10 kph and a choice of 60 or 72 Ah batteries to maximise your range, you can always enjoy your time outside with the Q400 F.

Q400 RREAR-WHEEL DRIVE BASE

Q400 R offers a lower seat to floor height of 415 mm to provide good access to wheelchair adapted vehicles, tables, and transfers.

EASY AND INTUITIVE

 $\ensuremath{\text{Q400\,R}}$ delivers an easy to handle and intuitive drive due to the drive wheel position.



GREAT OUTDOOR PERFORMANCE





The Q400 R robust design combined with the reliable drive wheel suspension with elastomer, will provide an easy and comfortable drive when expending time outdoors.

DRIVE WHEEL SUSPENSION

With the elastomer suspension the Q400 R provides a comfortable ride.

ENJOY YOUR TIME OUTSIDE

With reliable 4-pole motors powering speed of 10 kph and a choice of 60 or 72 Ah batteries to maximise your range, you can always enjoy your time outside with the Q400 R.

SEDEO LITE SEATING:SEDEO LITE

SEDEO LITE

User clinical need	Medium		
Seat width	385-510mm		
Seat depth	410-560mm		
Backrest height	460-510mm		
Configurability	Medium		
Standing function	_		
Lay down position	_		
Programmable seating	_		
Powered recline	85°/120°		
Anti-shear back movement	_		
Pressure release reminders	_		
Tilt angle	30°		
Lift	300 mm		
JAY & WHITMYER compatibility	✓		
Remote Seating app	_		
Max. user weight	136 kg		





*Image showing available recline option

SEDEO LITE

Multi-adjustable seat frame with sling back. Sedeo Lite is designed for users with medium to low clinical needs that requires adjustable seating system. Offers sling back with optional cushions and flip up armrest. The backrest, Armrest and legrests can be adjusted to fit the user. Includes seat frame with seat rail for additional mounting solutions.

SEDEO LITE

The SEDEO LITE is very comfortable to use and enhances user independence in everyday life. Its multi-adjustable seating frame includes a side seat rail for additional mounting solutions and a wide range of options to cover mild to moderate user's clinical needs.

QUICK & EASY TO ADJUST

All adjustments of the SEDEO LITE can be done in a very quick and easy way thanks to its self-explaining scales, and using just one tool. Parts can be adjusted, repositioned or turned to create the best support for the user and can be adapted to changing needs.







MULTI-ADJUSTABLE SEATING



*Image showing available recline option

SLING BACK WITH OPTIONAL COMFORT CUSHIONS

The SEDEO LITE offers height adjustable sling back with adjustable straps, and a range of optional comfort cushions including two seat cushions and four back cushions with adjustable straps and different contours for better comfort and positioning.

JAY cushions and backs and are also compatible with SEDEO LITE frame to cover higher clinical needs.

FLIP BACK ARMRESTS

The easy to operate flip back armrest gives you free transfer space. You can choose from a removable or reclining version.

All compatible with different armpad options.

LENGTH COMPENSATING SWING AWAY LEGRESTS

The swing away length compensating legrest allows you to reach the best position. Also available a wide range of swing away and centre mount legrests both in manual and power elevating versions. From simple version to the SEDEO LITE swing away legrest with many options.

INTEGRATED HEADREST DESIGN

The integrated headrest mount provides a new standard in adjustment and design. Compatible with SEDEO and WHITMYER headrests.

POSITIONING ELEMENTS & INTEGRATED SEAT RAIL

Different positioning elements are available like swing away lateral thoracic supports, thigh supports and knee supports. All of them are easily swing away and detachable. The integrated seat rail offers many options for mounting the different positioning elements.



JAY & WHITMYER POSITIONING OPTIONS

A wide range of WHITMYER headrests and JAY cushions are available and compatible with the SEDEO PRO and SEDEO LITE frame to meet higher clinical needs and ensure we offer the best seating possible.



WHITMYER HEADRESTS

Created to address a range of user needs from basic support to multiple-point control. WHITMYER headrests come in a variety of pad shapes and sizes for superior head positioning and comfort.

JAY CUSHIONS & BACKS


Designed for pelvic stability, skin protection and comfort, JAY cushions and backs are low maintenance, highly customisable and are available in a large variety to meet your needs.











VR2 Joystick

Every Q400 comes with a reliable VR2 control and a simple to control joystick which allows for intuitive operation.



ATTENDANT CONTROL

Allows for a carer to assist with driving or power seat function control.



Attendant Control






DISTINGUISHED STYLE

With the Q400 series, we've taken style to the next level. With a matt-black chassis finish, hidden wiring and components, it's a sleek and contemporary design.

Fancy a change?

The Q400 series also come with a choice of 4 contemporary colour inlays to perfectly complement its striking matt-black bodywork. Simply replace the colour inlays. Styling your powered wheelchair has never been so simple.



TECHNICAL DATA / Q400 R - Q400 M - Q400 F WITH SEDEO LITE

	0.400 R /M/F		Q400 R	Q400 M	Q400 F
	w/SEDEO LITE	Max. speed	10 kph	10 kph	10 kph
Max. user weight	136 kg	Battery size	60 Ah, 72 Ah	60 Ah, 72 Ah	60 Ah, 72 Ah
Seat width	385-510 mm	Electronics	VR2	VR2	VR2
Seat depth	410-560 mm	Turning radius	950 mm	560-630 mm	735 mm
Seat height	415-490 mm	Max reversing width	1258 mm	1100 mm	1240 mm
Backrest height	460-510 mm	Max. safe slope	10°	8°	8°
Total height	Max. 1400 mm	Max. kerb climbing	80 mm (100 mm with KC)	100 mm	70 mm
Powered recline	85°-120°	Drive wheels	13"- 14"	13"	13"- 14"
Tilt angle	30°	Castor wheel options	9" - 10"	7"	9"
Antishear back movmt.	-	Colour inlay choices	4 Colour Accents	4 Colour Accents	4 Colour Accents
Seat functions	Tilt, Lift & Tilt	Max. range (ISO 7176-4)	Max. 40 km	Max. 40 km	Max. 40 km
		Total width	640 mm	610-620 mm	640 mm
		Total length	Max. 1370 mm	Max. 1130 mm	Max. 1340 mm
(CO)		Wheelchair weight	From 130 kg	From 130 kg	From 130 kg



For further information on the full specification, options and accessories, please refer to the order form. All information is subject to change without notification. Please consult Sunrise Medical with any queries you may have.

Pictures and illustrations may be overseas models and some seating and accessories not available in Australia.

If you are visually impaired, this document can be viewed in PDF format at SunriseMedical.com.au.



